

Page 1 of 1

All amounts are calculated in domestic currency.

| | | | |
|-------------|---------------|-------------------|---------|
| ALL Vendors | PO ID PO33638 | ALL Receipt Dates | ALL Lin |
|-------------|---------------|-------------------|---------|

| All Item ID/GL/WOs | All Rec. Employees | All Currencies |
|--------------------|--------------------|----------------|
| 1 | 1 | 1 |
| 2 | 2 | 2 |
| 3 | 3 | 3 |
| 4 | 4 | 4 |
| 5 | 5 | 5 |
| 6 | 6 | 6 |
| 7 | 7 | 7 |
| 8 | 8 | 8 |
| 9 | 9 | 9 |
| 10 | 10 | 10 |
| 11 | 11 | 11 |
| 12 | 12 | 12 |
| 13 | 13 | 13 |
| 14 | 14 | 14 |
| 15 | 15 | 15 |
| 16 | 16 | 16 |
| 17 | 17 | 17 |
| 18 | 18 | 18 |
| 19 | 19 | 19 |
| 20 | 20 | 20 |
| 21 | 21 | 21 |
| 22 | 22 | 22 |
| 23 | 23 | 23 |
| 24 | 24 | 24 |
| 25 | 25 | 25 |
| 26 | 26 | 26 |
| 27 | 27 | 27 |
| 28 | 28 | 28 |
| 29 | 29 | 29 |
| 30 | 30 | 30 |
| 31 | 31 | 31 |
| 32 | 32 | 32 |
| 33 | 33 | 33 |
| 34 | 34 | 34 |
| 35 | 35 | 35 |
| 36 | 36 | 36 |
| 37 | 37 | 37 |
| 38 | 38 | 38 |
| 39 | 39 | 39 |
| 40 | 40 | 40 |
| 41 | 41 | 41 |
| 42 | 42 | 42 |
| 43 | 43 | 43 |
| 44 | 44 | 44 |
| 45 | 45 | 45 |
| 46 | 46 | 46 |
| 47 | 47 | 47 |
| 48 | 48 | 48 |
| 49 | 49 | 49 |
| 50 | 50 | 50 |
| 51 | 51 | 51 |
| 52 | 52 | 52 |
| 53 | 53 | 53 |
| 54 | 54 | 54 |
| 55 | 55 | 55 |
| 56 | 56 | 56 |
| 57 | 57 | 57 |
| 58 | 58 | 58 |
| 59 | 59 | 59 |
| 60 | 60 | 60 |
| 61 | 61 | 61 |
| 62 | 62 | 62 |
| 63 | 63 | 63 |
| 64 | 64 | 64 |
| 65 | 65 | 65 |
| 66 | 66 | 66 |
| 67 | 67 | 67 |
| 68 | 68 | 68 |
| 69 | 69 | 69 |
| 70 | 70 | 70 |
| 71 | 71 | 71 |
| 72 | 72 | 72 |
| 73 | 73 | 73 |
| 74 | 74 | 74 |
| 75 | 75 | 75 |
| 76 | 76 | 76 |
| 77 | 77 | 77 |
| 78 | 78 | 78 |
| 79 | 79 | 79 |
| 80 | 80 | 80 |
| 81 | 81 | 81 |
| 82 | 82 | 82 |
| 83 | 83 | 83 |
| 84 | 84 | 84 |
| 85 | 85 | 85 |
| 86 | 86 | 86 |
| 87 | 87 | 87 |
| 88 | 88 | 88 |
| 89 | 89 | 89 |
| 90 | 90 | 90 |
| 91 | 91 | 91 |
| 92 | 92 | 92 |
| 93 | 93 | 93 |
| 94 | 94 | 94 |
| 95 | 95 | 95 |
| 96 | 96 | 96 |
| 97 | 97 | 97 |
| 98 | 98 | 98 |
| 99 | 99 | 99 |
| 100 | 100 | 100 |

Grouped by Vendor ID

[illegible]

**Castle Metals®**

A. M. Castle & Co.


PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3086861

| | | | | |
|--|-------------------------|--|---|--|
| Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN | | Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN | Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA |
| Date Shipped 28-SEP-16 | F.O.B. ORIGIN | Freight Terms Prepaid | Carrier MANITOULIN | BOL No 3086861-2 |

| | |
|-------------------------|---------------------------------------|
| Shipment Details | Final Destination Branch - TOR |
|-------------------------|---------------------------------------|

| | | | | |
|--|-----------------------------------|---|---|------------------------------------|
| Order No 4491837 | Line No 1 | Item No 752241.MO | Description 2.5000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000— CUT 2SIDED TO 48.5 IN (GRAIN TO RUN ALONG 4") X 3.25 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 4")) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 | |
| Purchase Order No 33638 | Part Number | Ordered Qty 1.00 PCS | Invoice Qty 1.00 PCS | |
| Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS | | | | |
| Delivery No. 120552757 | Mill KAISER ALUMINUM | Heat Number  | Mech Id 1 | Shipped Qty(LBS) 40.7555 |
| | | Width (IN) | Length (IN) | |

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.

Date Printed: 28-SEP-2016 03:42:48 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

| | | |
|--|-------|-------|
| Reviewed by Authorized Castle Metals Representative: | Date: | Name: |
|--|-------|-------|

Chris Galt

SEP 28 2016



Sp16-9-27

SHIP TO:

A M CASTLE & CO
3050 SOUTH HYDRAULIC
WICHITA, KS 67216

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4403443

SOLD TO:

AM CASTLE & CO- SOLD TO
1420 KENSINGTON RD
SUITE 220
OAK BROOK, IL 60523

| | | | | | | |
|-------------------------------|-------------------------|--------------------------|-------------------------------------|---------------|---|--|
| CUSTOMER PO NUMBER: 344049 | | WORK PACKAGE: | CUSTOMER PART NUMBER: 752241 | | SHIP RUN/LOAD: 103437/9 | GOV'T CONTRACT NUMBER: |
| KAISER ORDER NO: 1199092 | LINE ITEM: 1 | SHIP DATE: 6-JAN-2016 | ALLOY: 7075 | CLAD: BARE | TEMPER: T7351 | PRODUCT DESCRIPTION: KaiserSelect Plate |
| WEIGHT SHIPPED: 5412 LB | QUANTITY: 3 PCS EST. | TRUCK B/L #: 2057936 | GAUGE: 2.5000 IN (63.5000 MM) | | DIAMETER/WIDTH: 48.500 IN (1231.9 MM) | LENGTH: 144.500 IN (3670.3 MM) |

MHU 1960912: LOT 159738B4: 1 pieces;

MHU 1960921: LOT 782747A0: 2 pieces;

DAS

14

9-89

16/10/06

Certified Specifications

AMS 4078/RevJ
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
MMS 159/RevT

AMS-QQ-A-250/12/RevA
ASTM-B 594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1
PS 21211/RevM

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 4297

Test Results

Lot: 159738B4 Cast 108 Drop 25 Ingot 5 Melted in USA

(ASTM E8/B557)

(EN 2002-1)

| | | | | | |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| | T7351 | LT / 2 (Min:Max) | 68.8 : 69.0 (474 : 476) | 57.6 : 57.7 (397 : 398) | 11.4 : 11.9 |

(ASTM E1004)

(EN 2004-1)

| | | |
|----------------------|----------|----------|
| Conductivity %IACS : | 40.1 Min | 40.4 Max |
| (MS/M) : | 23.3 Min | 23.4 Max |

(ASTM E1251)

| | | | | | | | | | | | |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual(wt%) | 0.08 | 0.19 | 1.5 | 0.05 | 2.5 | 0.20 | 5.7 | 0.03 | 0.01 | 0.01 | TOT 0.05 |



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4403443

Lot: 782747A0 Cast 108 Drop 25 Ingot 5 Parent Lot: 159738B4 Melted in USA

(ASTM B8/B557)
(EN 2002-1)

| | | | | | |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| | T7351 | LT / 2 (Min:Max) | 69.0 : 69.6 (476 : 480) | 58.0 : 58.8 (400 : 405) | 11.2 : 11.5 |

(ASTM E1004)
(EN 2004-1)
Conductivity %IACS : 39.7 Min 40.4 Max
(MS/M) : 23.0 Min 23.4 Max

(ASTM E1251)

| | | | | | | | | | | | |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual(wt%) | 0.08 | 0.19 | 1.5 | 0.05 | 2.5 | 0.20 | 5.7 | 0.03 | 0.01 | 0.01 | TOT 0.05 |

ALLOY LIMITS

| | | | | | | | | | | | | |
|----------|------|------|-----|------|-----|------|-----|------|------|------|-------|------|
| | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER | MAX |
| 7075 | | | | | | | | | | | | |
| MIN(wt%) | 0.00 | 0.00 | 1.2 | 0.00 | 2.1 | 0.18 | 5.1 | 0.00 | 0.00 | 0.00 | EACH | 0.05 |
| MAX(wt%) | 0.40 | 0.50 | 2.0 | 0.30 | 2.9 | 0.28 | 6.1 | 0.20 | 0.05 | 0.05 | TOT | 0.15 |

Aluminum Remainder

ORDER COMMENTS

AMC CA-15413B R 6
AMS 4078, AMS QQ-A-250/12, AMS STD-2154, A
STM B209, ASTM B594, BS
S 7055, CMMP 025, CSTI 006, DPS 4.713, GAMP
S 9101, MMS 159, PS 212

11

TEST NOTES

Metal represented by this test report was 100% Type I
(Immersion) ultrasonically tested from one side with 3mm
dead zones top and bottom and meets the Class A and Class B
requirements of all specifications referenced on this test
report. No surface marking of sonic indications is
performed.





Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4403443

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
 - * was melted in the United States of America or a qualifying country per OFARS 225.972-1(a), was manufactured in the United States of America, and meets the requirements of OFARS 252.225 for domestic content.
 - * has been thermally processed in compliance with AMS 2772, where applicable.
 - * is mercury free, within the limits of detection of ASTM E1251 (< 1 ppm).
 - * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
 - * is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
 - * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR





Castle Metals®

A. M. Castle & Co.


PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 2

Shipment No:3086861

| | | | | |
|--|-------------------------|--|---|--|
| Ship From: A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN | | Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN | Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA |
| Date Shipped 28-SEP-16 | F.O.B. ORIGIN | Freight Terms Prepaid | Carrier MANITOU LIN | BOL No 3086861-2 |

| | |
|-------------------------|---------------------------------------|
| Shipment Details | Final Destination Branch - TOR |
|-------------------------|---------------------------------------|

| | | | |
|-----------------------------------|--|---|--|
| Order No 4491837 | Line No 2 | Item No 752132/MO | Description 4.0000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 48.5 IN (GRAIN TO RUN ALONG 4") X 4 IN (+ .0310/- .0000 IN (GRAIN TO RUN ALONG 4") - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12 |
| Purchase Order No 33638 | Part Number | Ordered Qty 2.00 PCS | Invoice Qty 2.00 PCS |
| Details | ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS | | |
| Delivery No. 120552782 | Mill KAISER ALUMINUM | Heat Number  1173844B21 | Mech Id PCS 2 |
| | | Width (IN) | Length (IN) |
| | | | Shipped Qty(LBS) 160.8277 |

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut by the customer cannot be returned for credit.

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited.
Date Printed: 28-SEP-2016 03:42:48 PM



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 2 of 2

| | | |
|--|-------|-------|
| Reviewed by Authorized Castle Metals Representative: | Date: | Name: |
|--|-------|-------|

Chris Galt

SEP 28 2016



File 9-29.

| |
|---|
| SHIP TO: A M CASTLE & CO 3050 SOUTH HYDRAULIC WICHITA, KS 67216 |
| SOLD TO: AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523 |

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4420569

| | | | | |
|-------------------------------|-------------------------|--------------------------|--------------------------------------|---|
| CUSTOMER PO NUMBER: 378805 | WORK PACKAGE: 752132 | CUSTOMER PART NUMBER: | SHIP RUN/LOAD: 103581/13 | GOV'T CONTRACT NUMBER: |
| KAISER ORDER NO: 1212702 | LINE ITEM: 1 | SHIP DATE: 1-JUN-2016 | ALLOY: 7075 | CLAD: BARE |
| | | | TEMPER: T7351 | PRODUCT DESCRIPTION: KaiserSelect Plate |
| WEIGHT SHIPPED: 5700 LB | QUANTITY: 2 PCS EST. | TRUCK B/L #: 2060588 | GAUGE: 4.0000 IN (101.6000 MM) | DIAMETER/WIDTH: 48.500 IN (1231.9 MM) |
| | | | | LENGTH: 144.500 IN (3670.3 MM) |

MHU 1999057: LOT 176103B0: 1 pieces;

MHU 2000203: LOT 173844B2: 1 pieces;

Certified Specifications

AMS 4078/RevJ
ASTM B 209/Rev14
BSS 7055/RevB
DPS 4.713/RevAK
MMS 159/RevT

AMS-QQ-A-250/12/RevA
ASTM B 594/Rev13
CMMP 025/RevU
GAMPS 9101/RevB/AmdSCN1
PS 21211/RevP

AMS-STD-2154/RevA
BAC 5439/RevJ
CSTI 006/RevE
GSS16100/RevG/Amd1

Test Code: 4297

Test Results

DAS
14
9-39

16/10/06

Lot: 173844B2 Cast 189

Drop 37

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

| | | | | | |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| | T7351 | LT / 2 (Min:Max) | 62.1 : 63.2 (428 : 436) | 49.7 : 50.6 (343 : 349) | 10.3 : 10.9 |

(ASTM E1004)

(EN 2004-1)

| | | |
|----------------------|----------|----------|
| Conductivity %IACS : | 42.2 Min | 42.4 Max |
| (MS/M) : | 24.5 Min | 24.6 Max |

(ASTM E1251)

| | | | | | | | | | | | |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual(wt%) | 0.08 | 0.18 | 1.6 | 0.02 | 2.5 | 0.19 | 6.0 | 0.03 | 0.01 | 0.02 | TOT 0.05 |



KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4420569

Lot: 176103B0 Cast 189 Drop 33 Ingot 2 Melted in USA

(ASTM E8/B557)
(EN 2002-1)

| | | | | | |
|----------|--------|------------------|----------------------------|----------------------------|--------------|
| Tensile: | Temper | Dir / # Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| | T7351 | LT / 2 (Min:Max) | 63.5 : 63.5 (438 : 438) | 50.7 : 50.9 (350 : 351) | 10.4 : 10.7 |

(ASTM E1004)
(EN 2004-1)

| | | |
|----------------------|----------|----------|
| Conductivity %IACS : | 42.2 Min | 42.4 Max |
| (MS/M) : | 24.5 Min | 24.6 Max |

(ASTM E1251)

| | | | | | | | | | | | |
|-------------|------|------|-----|------|-----|------|-----|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual(wt%) | 0.06 | 0.16 | 1.5 | 0.02 | 2.5 | 0.20 | 5.8 | 0.02 | 0.01 | 0.02 | TOT 0.05 |

ALLOY LIMITS

| | | | | | | | | | | | | |
|----------|------|------|-----|------|-----|------|-----|------|------|------|-------|------|
| | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER | MAX |
| 7075 | | | | | | | | | | | | |
| MIN(wt%) | 0.00 | 0.00 | 1.2 | 0.00 | 2.1 | 0.18 | 5.1 | 0.00 | 0.00 | 0.00 | EACH | 0.05 |
| MAX(wt%) | 0.40 | 0.50 | 2.0 | 0.30 | 2.9 | 0.28 | 6.1 | 0.20 | 0.05 | 0.05 | TOT | 0.15 |

Aluminum Remainder

ORDER COMMENTS

AMC CA-15413E R 6

TEST NOTES

Metal represented by this test report was 100% Type I (immersion) ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
- * was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- * has been thermally processed in compliance with AMS 2772, where applicable.
- * is mercury free, within the limits of detection of ASTM E1251 (< = 1ppm).
- * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- * is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
- * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

James Hemenway

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER



MATERIAL RECEIPT INSPECTION FORM

MATERIAL 17075T73 B4.00X4.00
DATE 11/10/06

PO / BATCH NO 33638/135792

MATERIAL CERTIFIED YES
QUANTITY RECEIVED 8
QUANTITY INSPECTED 8
QUANTITY REJECTED 0

THICKNESS ORDERED 4.00
THICKNESS RECEIVED 4.00
SHEET SIZE ORDERED
SHEET SIZE RECEIVED

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|---|------------------------------------|------------------------------------|---------------------|
| SURFACE DAMAGE | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| CORROSION | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | 4.00 |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| PHOTO REQUIRED | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | HEAT # 173844B2 |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | 17075T73 B4.00X4.00 |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | M135792 |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK
RECORD RESULTS BELOW

| | HRC | HRB | DUR A | DUR D |
|------------------------------|-----|-----|-------|-------|
| TYPE OF MATERIAL | | | | |
| SIZE OF TEST SAMPLE | | | | |
| HARDNESS / DUROMETER READING | | | | |

Testers located in the Quality Office

ENGINEERING SIGNOFF (if required)

QC 18 INSPECTION

INSPECTED BY DAS
DATE 11/10/06

SIGNED OFF BY
DATE

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL M7075T73B2.500X3.25
DATE 16/10/06

PO / BATCH NO 33638/135792

MATERIAL CERTIFIED yes
QUANTITY RECEIVED 4
QUANTITY INSPECTED _____
QUANTITY REJECTED _____

THICKNESS ORDERED 2.50X3.25
THICKNESS RECEIVED 2.50X3.25
SHEET SIZE ORDERED _____
SHEET SIZE RECEIVED _____

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|--|------------------------------------|------------------------------------|--------------------|
| SURFACE DAMAGE | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| CORROSION | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | 2.500 |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| PHOTO REQUIRED | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | HEAT# 78274740 |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | M7075T73B2.00X3.25 |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | M135792 |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | <input checked="" type="radio"/> Y | <input checked="" type="radio"/> N | |

| CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK RECORD RESULTS BELOW | | | |
|---|-----|-----|-------|
| TYPE OF MATERIAL | HRC | HRB | DUR A |
| SIZE OF TEST SAMPLE | | | |
| HARDNESS / DUROMETER READING | | | |

Testers located in the Quality Office

ENGINEERING SIGNOFF (if required)

QC 18 INSPECTION

INSPECTED BY 14
DATE 16/10/06

SIGNED OFF BY _____
DATE _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO33638**

Purchase Order Date 9/13/2016

PO Print Date 9/13/2016

Page Number 1 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

SEP 13 2016

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Chantal Lavoie

| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ Taxable Promise Date | CD | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|----------|--|------------------------|--------------------------------------|----|--------------------------------|---------------|----------------|
|----------|--|------------------------|--------------------------------------|----|--------------------------------|---------------|----------------|

| | | | | | | | |
|---|----------------------|--------------------------|-------------------------------|--|-----------|---------|----------|
| 1 | M7075T73B2.500X03.25 | 7075-T73 Bar 2.50 x 3.25 | 9/29/2016 Yes 9/29/2016 | | 4.00 f | \$62.00 | \$248.00 |
|---|----------------------|--------------------------|-------------------------------|--|-----------|---------|----------|

MATERIAL: 7075-T73/T73510T73511 BAR AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

Line Total: \$248.00

| | | | | | | | |
|---|----------------------|--|-------------------------------|--|-----------|----------|----------|
| 2 | M7075T73B4.000x4.000 | 7075-T73 Bar 4.0 x 4.0 grain direction along 4" wide | 9/29/2016 Yes 9/29/2016 | | 8.00 f | \$102.00 | \$816.00 |
|---|----------------------|--|-------------------------------|--|-----------|----------|----------|

MATERIAL: 7075-T73/T73510T73511 BAR AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

NOTE: GRAIN DIRECTION MUST RUN ALONG 4" WIDE CUT IN 2PCS OF 4 FT

Line Total: \$816.00

Sp/6 9-29

Note:

9/13/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO33638**

Purchase Order Date 9/13/2016

PO Print Date 9/13/2016

Page Number 2 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Chantal Lavoie

| | | | | | | | |
|---|----------|-----------------------------|-----------|------|---|--------|--------|
| 3 | 71401-45 | procurement quality clauses | 9/29/2016 | 1.00 | ✓ | \$0.00 | \$0.00 |
|---|----------|-----------------------------|-----------|------|---|--------|--------|

No

Procurement Quality Clauses

9/29/2016

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

2016-9-29

Line Total: \$0.00

PO Total: \$1,064.00

CLH

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 9/13/2016

Chantal Lavoie

From: Desbiens, Marc <mdesbien@amcastle.com>
Sent: Monday, September 12, 2016 3:21 PM
To: Chantal Lavoie
Subject: RE: quote

Hi Chantal,

price and delivery on material.

7075-t73 bar 2.5" x 3.25" x 4 ft \$ 248.00 Lot

7075-t73 bar 4" x 4" x 2 pcs of 4 ft grain direction along the 4" wide \$ 816.00 Lot

2 weeks U.S. dollars

Thanks

32978

Marc Desbiens
Inside sales representative
Castle Metals, Montreal, QC
Direct line 514-795-8176
1-800-806-6660 ext 52226
Fax # 1-855-892-6370

Customized Supply Chain Solutions for Your Metal Needs

This E-mail may contain proprietary information and may be confidential. You are to treat this material in accordance with your company's confidentiality policies and limit any distribution accordingly.

If you are not the intended recipient of this E-mail, you are hereby notified that any dissemination, distribution or copying of this message is strictly prohibited. If you received this message in error, please delete it immediately.

NOT good
4-8